



ZERTIFIKAT

Zulassungsempfehlung für: Sanitärapparate / WC-Becken und WC-Anlagen

Laufzeit 01.01.2023 – 31.12.2027; ausgestellt am 02.01.2023
Inhaber Laufen AG, 4242 Laufen, Schweiz
Produkt WC-Becken und WC-Anlagen
Grundlage EN 997:2012+A1:2015-06 und Qplus R 592014-1:2015
Prüfinstitut TÜV Rheinland, LGA Products GmbH, Nürnberg, Deutschland

Zul.-Nr.	Marke / Typ	Art. Nr.	Prüfbericht	Ausführung
35841	LAUFEN PRO	H825952	H825952_57222156-01_21261716 035_extsigned	Floorstanding WC, close-coupled, washdown, with flushing rim, outlet horizontal/vertical
35842	LAUFEN PRO	H824955	H824955_57222165-03_21281812 024_extsigned	Floorstanding WC 'comfort', close-coupled, washdown, with flushing rim, outlet horizontal/vertical
35847	MODERNA R	H824541	H824541_57222068-06_21261577 043_extsigned	Floorstanding WC, close-coupled, washdown, with flushing rim, outlet horizontal/vertical
35848.1	MODERNA R	H820541	H820541_57222068-03_21261577 040_extsigned	Wall hung WC, wash down, with flushing rim
35848.2	MODERNA R	H820543	H820543_57222068-04_21261577 041_extsigned	Wall hung WC "compact", wash down, with flushing rim
35849	MODERNA R	H820545	H820545_57222068-05_21261577 042_extsigned	Wall-hung WC close-coupled, wash-down, with flushing rim
35884	VAL	H820281	H820281_57222068-02_21261577 039_extsigned	Wall-hung WC 'rimless', washdown, without flushing rim
35885	PALACE	820706	H820706_57222090-02_21281908 015_extsigned	Wall-hung WC 'rimless', washdown, without flushing rim
35886	LAUFEN PRO	820960	H820960_57222090-01_21281908 014_extsigned	Wall-hung WC 'rimless', washdown, without flushing rim



35887	ILBAGNOA-LESSI	H820971	H820971_57222068-07_21261577_044_extsigned_	Wall-hung WC 'rimless', washdown, without flushing rim
35889	FLORAKIDS	H822036	H822036_57222165-01_21281812_022_extsigned	Floorstanding WC, washout, with flushing rim, outlet horizontal
35890	FLORAKIDS	H822037	H822037_57222165-02_21281812_023_extsigned	Floorstanding WC, washout, with flushing rim, outlet vertical
35891	PALACE	H824706	H824706_57222165-05_21281812_026_extsigned	Floorstanding WC, close-coupled, washdown, with flushing rim, outlet horizontal/vertical
38140	Kartell by Laufen	H821331	H821331_57222068-09_21261577_046	WHWC, rimless, silent
38167	MODERNA R	H821544	H821544_57222068-08_21261577_045	Wall hung WC rimless/compact, "Silent " Design
38180.1	ProCasa Cinque	H820920	H820920_57221090-05_21281908_011	Wall-hung WC 'rimless', washdown, without flushing rim
38180.2	ProCasa Cinque	H820921	H820921_57221090-06_21281908_012	Wall-hung WC 'rimless', washdown, without flushing rim
38180.3	ProCasa Cinque	H820923	H820923_57221090-07_21281908_013	Wall-hung WC 'rimless/compact', washdown, without flushing rim

Qplus hat die von akkreditierten Prüfinstituten erstellten Berichte und weitere vom Inhaber eingereichte Unterlagen geprüft und festgestellt, dass die vorstehend genannten Produkte den Vorgaben der Normen und den übrigen Anforderungen gemäss den anwendbaren Qplus Richtlinien entspricht.

Qplus kann aufgrund der Beurteilung den interessierten Bauherren, Planern und Verwendern empfehlen, diese Produkte für die Verwendung zuzulassen. Diese Produkte erfüllen bei korrekter Planung und Verarbeitung die Ziele der schweizerischen Gewässerschutzvorschriften.

Geschäftsführerin
Anne-Marie Hänggi



CERTIFICATE

Recommendation for Approval: Sanitary Ceramic / Toilets

Duration 01.01.2023 – 31.12.2023; issued on 02.01.2023
Owner Laufen AG, 4242 Laufen, Switzerland
Product Floor-standing and wall-hung wc
Basis EN 997:2012+A1:2015-06 and Qplus R 592014-1:2015
Testing Institute TÜV Rheinland, LGA Products GmbH, Nürnberg, Germany

Number	Brand / Typ	Art. Nr.	Test report No.	Performance
35841	LAUFEN PRO	H825952	H825952_57222156-01_21261716 035_extsigned	Floorstanding WC, close-coupled, washdown, with flushing rim, outlet horizontal/vertical
35842	LAUFEN PRO	H824955	H824955_57222165-03_21281812 024_extsigned	Floorstanding WC 'comfort', close-coupled, washdown, with flushing rim, outlet horizontal/vertical
35847	MODERNA R	H824541	H824541_57222068-06_21261577 043_extsigned	Floorstanding WC, close-coupled, washdown, with flushing rim, outlet horizontal/vertical
35848.1	MODERNA R	H820541	H820541_57222068-03_21261577 040_extsigned	Wall hung WC, wash down, with flushing rim
35848.2	MODERNA R	H820543	H820543_57222068-04_21261577 041_extsigned	Wall hung WC "compact", wash down, with flushing rim
35849	MODERNA R	H820545	H820545_57222068-05_21261577 042_extsigned	Wall-hung WC close-coupled, wash-down, with flushing rim
35884	VAL	H820281	H820281_57222068-02_21261577 039_extsigned	Wall-hung WC 'rimless', washdown, without flushing rim
35885	PALACE	820706	H820706_57222090-02_21281908 015_extsigned	Wall-hung WC 'rimless', washdown, without flushing rim
35886	LAUFEN PRO	820960	H820960_57222090-01_21281908 014_extsigned	Wall-hung WC 'rimless', washdown, without flushing rim



35887	ILBAGNOA-LESSI	H820971	H820971_57222068-07_21261577_044_extsigned_	Wall-hung WC 'rimless', washdown, without flushing rim
35889	FLORAKIDS	H822036	H822036_57222165-01_21281812_022_extsigned	Floorstanding WC, washout, with flushing rim, outlet horizontal
35890	FLORAKIDS	H822037	H822037_57222165-02_21281812_023_extsigned	Floorstanding WC, washout, with flushing rim, outlet vertical
35891	PALACE	H824706	H824706_57222165-05_21281812_026_extsigned	Floorstanding WC, close-coupled, washdown, with flushing rim, outlet horizontal/vertical
38140	Kartell by Laufen	H821331	H821331_57222068-09_21261577_046	WHWC, rimless, silent
38167	MODERNA R	H821544	H821544_57222068-08_21261577_045	Wall hung WC rimless/compact, "Silent " Design
38180.1	ProCasa Cinque	H820920	H820920_57221090-05_21281908_011	Wall-hung WC 'rimless', washdown, without flushing rim
38180.2	ProCasa Cinque	H820921	H820921_57221090-06_21281908_012	Wall-hung WC 'rimless', washdown, without flushing rim
38180.3	ProCasa Cinque	H820923	H820923_57221090-07_21281908_013	Wall-hung WC 'rimless/compact', washdown, without flushing rim

Qplus has reviewed the reports prepared by accredited testing institutes and other documents submitted by the manufacturer and has determined that the above products comply with the standards and other requirements of the applicable Qplus guidelines.

Based on the assessment, Qplus can advise interested builders, planners and users to approve these products for use. These products, when properly planned and built-in, fulfil the objectives of the Swiss water protection regulations.

Director
Anne-Marie Hänggi